

5

4

3

2

1

F

F

E

E

D

D

C

C

B

B

A

A

## Brad<sup>®</sup> SST<sup>™</sup> Network Interface Card

### 112013 PROFIBUS-DP for High-Speed PC-Based Control



#### Features and Benefits

- ♦ High speed deterministic communication for control applications
- ♦ OEM ready, hardware and software components provided separately
- ♦ CommDTM driver for FDT Frame engineering software (PACTware<sup>™</sup>, FieldCare<sup>™</sup>, FieldMate<sup>™</sup>, etc.)
- ♦ On board FPGA eliminates data bottlenecks, ensuring delivery of time critical information

#### Description

- ♦ Highly customizable Profibus access via Direct DPRAM services
  - Configuration
  - Diagnostic
  - Process Data
- ♦ Manage DP Master and Slave modes simultaneously
- ♦ Auto-Boot (Configuration stored in Flash)
- ♦ Engineering Tools:
  - Configuration console (optional)
  - Test and diagnostic tools (optional)
- ♦ OPC DA Server v3.0 (optional)
- ♦ Supported OS:
  - Windows (32-bit): Windows Vista<sup>®</sup>, 2003 Server, Windows XP<sup>®</sup>
  - Others: Open, documented memory map interface with C source code samples and Windows 32-bit DLLs for custom driver development

#### Included Hardware/Software

- ♦ PC/104 bus
- ♦ 1 PROFIBUS port, DB 9 female, Galvanic insulation 1000V
- ♦ Speed: 9.6 Kbps up to 1.2 Mbps
- ♦ LEDs for system status and communications status

#### Compatible Protocols

- ♦ Master DP-V0 (Class-1 and Class-2)
- ♦ Master DP-V1 (Class-1 and Class-2)
- ♦ Slave DP-V0
- ♦ FDL Send/Receive

#### Conformance

- ♦ RoHS compliant
- ♦ CE
- ♦ FDT certified

Engineering No.	Standard Order No.	Description
SST-PB3-104	112013-0013	PB3 PC/104 Network Interface Card for PROFIBUS-DP
SST-PB3-104-B2S	112013-0015	PB3 PC/104 Network Interface Card for PROFIBUS-DP Bulk of 2S
SST-PB3-CHF-P	112030-0008	PROFIBUS Configuration and Diagnostic Console, Single license with Parallel key
SST-PB3-CHF-U	112030-0009	PROFIBUS Configuration and Diagnostic Console, Single license with USB key
SST-PB3-ORC	112028-0030	PROFIBUS ORC DA Server, Single license code

RELEASE EC NO: IPG2014-0761 DRWN: GGUSTAFS 2013/11/13 CHK'D: BARDEN APPR: BWOODMAN 2013/11/18 DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IIN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
	=0 =0	mm	INCH	DRAWN BY DATE	TITLE				
		4 PLACES ±---	±---	GGUSTAFS 2013/11/13	NIC PROFIBUS PCI: CHL:PB3 ROHS:BULK:UNV MOLEX INCORPORATED				
		3 PLACES ±---	±.005	CHECKED BY DATE					
	2 PLACES ±0.13	±.010	BARDEN 2013/12/6	APPROVED BY DATE BWOODMAN 2013/11/18					
	1 PLACE ±0.25	±.020	MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		ANGULAR ±.5°		SEE CHART		SD-112013-0014		1 OF 1	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
A			SIZE A						

5

4

3

2

1