






CONNECTOR IS ALLOWED TO "LEAN" 6° IN EITHER DIRECTION (AS SHOWN)



MACHINE SCREW #8-32 SUPPLIED BY CUSTOMER (2 REQUIRED)



NOTE:

1. MATERIALS:  
TERMINALS: HIGH CONDUCTIVITY COPPER ALLOY  
PLATING: GOLD PLATED IN CONTACT AREA  
HOUSING: ROHS COMPLIANT 94V-0 THERMOPLASTIC
2. MEETS MOLEX PRODUCT SPEC. PS-45711-001.
3. PACKAGED PER MOLEX PACKAGING SPEC. PK-45711-000.

PRODUCTION EC NO: UCP2006-2419 DRAWN BY: B KOSTIC CHKD BY: B KOSTIC APPR: JPALEL DATE: 2006/04/13 DATE: 2006/04/17 DATE: 2006/05/01	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		4 PLACES ± .010 ± .010 3 PLACES ± .010 ± .010 2 PLACES ± 0.25 ± .010 1 PLACE ± 0.25 ± .010	mm INCH	DRAWN BY DATE SBB 11/19/04	TITLE BUS BAR CONN ASSY VERTICAL MOUNT			
A	DESCRIPTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. 45711-1000	DOCUMENT NO. SD-45711-100	MOLEX MOLEX INCORPORATED		
				SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			