



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AJ	16	A	REV PER ECO 06-002539	07APR06	GB JH



- ① ZINC PER QQ-Z-363.
- ② POLYPHENYLENE OXIDE.
- ③ PHOSPHOR BRONZE PER QQ-B-750.
- ④ TIN PLATE PER ASTM-B-545, 3.05 μm [.000120] MINIMUM THICK.
- ⑤ SILVER PLATE PER QQ-S-365, 1.27 μm [.000050] MINIMUM THICK.



VIEW A-A

6274315-1
 PART NUMBER

RECOMMENDED PCB LAYOUT
 TOP VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. ALCORTA - 28APR2005 DOCK5	tyco Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK J. HAVENER 28APR2005	NAME JACK, VERTICAL, NON-SWITCHING, PCB, BNC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. LIPPERT 28APR2005	PRODUCT SPEC -	
0 PLC ± -		APPLICATION SPEC -		
1 PLC ± -		SIZE A3		
2 PLC ± 0.20 [.008]		CAGE CODE 00779		
3 PLC ± -		DRAWING NO C-6274315		
4 PLC ± -		RESTRICTED TO -		
ANGLES ± -		SCALE 4:1		
MATERIAL ①②③		FINISH ④⑤		
-		SHEET 1 OF 1		
CUSTOMER DRAWING		REV A		