

RJ45 socket insert - VS-08-BU-RJ45/BU - 1689064

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RJ45 socket insert, modular (Keystone), CAT5e, 8-pos., shielded, socket on socket



Ethernet



Key commercial data

| | |
|--------------------------------------|----------|
| Packing unit | 1 pc |
| Minimum order quantity | 5 pc |
| Weight per Piece (excluding packing) | 8.0 GRM |
| Custom tariff number | 85366990 |
| Country of origin | Germany |

Technical data

Mechanical characteristics

| | |
|-----------------------------|--------|
| Number of positions | 8 |
| Number of slots | 1 |
| Shielded | Yes |
| Insertion/withdrawal cycles | ≥ 1000 |
| Connection method | female |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -20 °C ... 60 °C |
| Degree of protection | IP20 |

Material data

| | |
|---|------------------|
| Inflammability class according to UL 94 | V0 |
| Housing material | Stainless steel |
| Contact carrier material | ABS |
| Contact material | Copper alloy |
| Contact surface material | Gold over nickel |

RJ45 socket insert - VS-08-BU-RJ45/BU - 1689064

Technical data

Electrical characteristics

| | |
|---|--|
| Number of positions | 8 |
| Transmission characteristics (category) | CAT5 (IEC 11801:2002), CAT5e (TIA 568B:2001) |
| Rated current | 1.5 A |
| Surge voltage category | II |
| Pollution degree | 2 |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260705 |
| eCl@ss 7.0 | 27440312 |
| eCl@ss 8.0 | 27440312 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000438 |
| ETIM 3.0 | EC000438 |
| ETIM 4.0 | EC000438 |
| ETIM 5.0 | EC000438 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211923 |
| UNSPSC 7.0901 | 39121522 |
| UNSPSC 11 | 39121522 |
| UNSPSC 12.01 | 39121522 |
| UNSPSC 13.2 | 39121522 |

Approvals

Approvals

Approvals

GOST


RJ45 socket insert - VS-08-BU-RJ45/BU - 1689064

Approvals

Ex Approvals


Approvals submitted

Approval details




Drawings

Schematic diagram



Dimensioned drawing



RJ45 socket insert, keystone