

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2000

© COPYRIGHT 2000

ALL RIGHTS RESERVED.

LOC  
A1

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C	ECR-15-007885	15JUN2015	GSK	JB

CONTACT ARRANGEMENT  
VIEW FROM CONNECTING SIDE

NOTES

- SUITABLE CRIMP CONTACTS: SERIES HF.06  
CATALOG: 889745  
OUTER DIMENSIONS OF INSULATION: MAX. Ø14mm
- SUITABLE MODULE FIXING FRAME: SERIES HVS SIZE 3 TO 8  
CUSTOMER DRAWING: 1103250
- SUITABLE INSERTION TOOL:  
SCREWDRIVER TORX T8
- SUITABLE EXTRACTION TOOL:  
SCREWDRIVER TORX T8
- STANDARDS:  
DIN EN 61984; DIN EN 60664-1
- POLARIZATION RIPS
- MARKING OF POLARIZATION ACCORDING TO MARKING OF  
MODULE FRAME
- PACKAGING:  
10 SETS IN A CARTON, PRE-MOUNTED

HVS-GND  
0-1103229-1  
STE

25

SCALE 1:1

CONTACT ARRANGEMENT  
VIEW FROM TERMINATION SIDE

14.6

PN 0-1 AS SHOWN

QTY	DESCRIPTION	MATERIAL	COLOR	NOTE	ITEM NO
2	SENC SCREW	STANDARD			3
2	MOUNTING PLATE	ZINC ALLOY			2
1	MODULE INSERT	ZINC ALLOY			1

HVS-GND

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 14.02.2006  
SCHNEIDERCHK 14.02.2006  
A.GASTAPVD 14.02.2006  
T.SCHNURPFIL

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:  
mm

MATERIAL

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0	PLC	±
1	PLC	±
2	PLC	±
3	PLC	±
4	PLC	±
	ANGLES	±

FINISH

TE Connectivity

NAME  
MODULE INSERT  
HVS-GND

RESTRICTED TO

SIZE A3 CAGE CODE 00779 DRAWING NO C-1103229

SCALE 5:1 SHEET 1 OF 1 REV C

1470-19 (3/11)