

Bi-directional Ceiling Mount Panel Antenna



2.4-2.5 GHZ. 4 dBi, BI-DIRECTIONAL CEILING MOUNT PANEL ANTENNA

The Laird bi-directional ceiling mount panel antenna is designed to offer systems integrators a bi-directional pattern characteristic in a low-profile, ceiling mountable package. The antenna exhibits 4 dBi of gain and can be easily and inconspicuously mounted to any ceiling surface.

The antenna housing is molded from an off-white, finely textured UV stable thermoplastic which can be painted to custom color match various ceiling surface colors. The standard coax pigtail length is 12" and the standard connector is N female. Alternative coax cable lengths and connector types are available.

FEATURES


- High performance omni in small package
- Mounting hardware adjusts height from ceiling
- Coax pigtail length can be modified
- Additional mounting options available

MARKETS

- Office and healthcare facilities
- Transportation terminals
- Educational campuses
- Hallways and tunnels

SPECIFICATIONS	
Model Number	SQ2405DD12NF
Frequency MHz	2400 - 2500
Gain dBi	4 (Bi-directional)
VSWR	1.5:1
E-Plane (3 dB beamwidth)	58°
H-Plane (3 dB beamwidth)	87°
Polarization	Linear (vertical)
Weight lbs. (kg) (w/12" cable)	0.6 (0.27)
Mounting Style	Ceiling
Dimensions in.(cm)	6.12 x 6.12 x1.25 (15.5x15.5x3.2)
Enclosure	PVC Acrylic
Power (Watts)	10
RF Connector	Type N, (female)
Pigtail	12"

Pattern data represents a ceiling mounted antenna



Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com
Europe: +44.1628.858941
IAS-EUSales@lairdtech.com
Asia: +86.21.5855.0827.127
IAS-AsiaSales@lairdtech.com

ANT-DS-SQ2405DD12NF 0915

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.